



SAFETY DATA SHEET

Astonish Bathroom Cleaner

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Astonish Bathroom Cleaner
Product number 971601
Internal identification F1V2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cleaning hard surfaces in bathrooms

1.3. Details of the supplier of the safety data sheet

Supplier The London Oil Refining Company Ltd
Astonish House
Unit 1 Premier Point
Staithgate Lane
Bradford BD6 1DW
(01274) 767440 (office hours only)
(01274) 726285
www.astonishcleaners.com

Contact person info@astonish.co.uk

1.4. Emergency telephone number

Emergency telephone (01274) 767440 (office hours only)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified
Health hazards Eye Irrit. 2 - H319 Skin Sens. 1 - H317
Environmental hazards Not Classified

2.2. Label elements

Pictogram



Signal word Warning

Hazard statements H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

Astonish Bathroom Cleaner

Precautionary statements	<p>P101 If medical advice is needed, have product container or label at hand.</p> <p>P102 Keep out of reach of children.</p> <p>P103 Read label before use.</p> <p>P261 Avoid breathing spray.</p> <p>P264 Wash hands thoroughly after handling.</p> <p>P280 Wear protective gloves, eye and face protection.</p> <p>P302+P352 IF ON SKIN: Wash with plenty of water.</p> <p>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.</p> <p>P337+P313 If eye irritation persists: Get medical advice/ attention.</p>
---------------------------------	---

Contains ((Chloro)methylisothiazolinone & Methyllisothiazolinone)

Additional Labelling

Detergent labelling < 5% non-ionic surfactants, < 5% perfumes, Contains Linalool, reaction mass of: 5-chloro-2-methyl-4-iso-thiazolin-3-one and 2-methyl-2H-isothiazol-3-one

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Butyl Diglycol		1-5%
CAS number: 112-34-5	EC number: 203-961-6	
Classification		
Eye Irrit. 2 - H319		
Undecanol, branched and linear, ethoxylated (>5-15 EO)		1-5%
CAS number: 68439-46-3		
Classification		Classification (67/548/EEC or 1999/45/EC)
Acute Tox. 4 - H302		Xn; R22. Xi; R41
Eye Dam. 1 - H318		
Citric Acid Monohydrate		1-5%
CAS number: 5949-29-1	EC number: 201-069-1	
Classification		
Eye Irrit. 2 - H319		
Sodium Hydroxide		<1%
CAS number: 1310-73-2	EC number: 215-185-5	REACH registration number: 01-2119457892-07-0000
Classification		Classification (67/548/EEC or 1999/45/EC)
Met. Corr. 1 - H290		C; R35
Skin Corr. 1A - H314		

Astonish Bathroom Cleaner

Glycerol	<1%
CAS number: 56-81-5	EC number: 200-289-5
Classification Not Classified	Classification (67/548/EEC or 1999/45/EC) NC Not Classified
2,2'-iminodiethanol	<1%
CAS number: 111-42-2	EC number: 203-868-0
Classification Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 STOT RE 2 - H373	Classification (67/548/EEC or 1999/45/EC) Xn; R22, R48/22. Xi; R38, R41
2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol	<1%
CAS number: 28219-61-6	EC number: 248-908-8
M factor (Chronic) = 1	
Classification Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Aquatic Chronic 1 - H410	Classification (67/548/EEC or 1999/45/EC) Xi; R38. N; R50/53
((Chloro)methylisothiazolinone & Methylisothiazolinone	<1%
CAS number: 55965-84-9	EC number: 611-341-5
M factor (Acute) = 10	M factor (Chronic) = 10
Classification Acute Tox. 3 - H301 Acute Tox. 2 - H310 Acute Tox. 2 - H330 Skin Corr. 1B - H314 Skin Sens. 1A - H317 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	Classification (67/548/EEC or 1999/45/EC) T; R23/24/25. C; R34. N; R50/53. R43
2,6-di-tert-butyl-p-cresol	<1%
CAS number: 128-37-0	EC number: 204-881-4
	REACH registration number: 01-2119555270-46-0000
M factor (Acute) = 1	M factor (Chronic) = 1
Classification Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	Classification (67/548/EEC or 1999/45/EC) N; R50/53

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

Astonish Bathroom Cleaner

4.1. Description of first aid measures

Inhalation	Remove exposure and give water to drink if mouth irritation experienced. Seek medical advice if recovery not rapid.
Ingestion	Drink water. If symptoms persist seek medical advice.
Skin contact	Rinse affected area with water.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation persists after washing.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Possible mild irritation of breathing passage and possible mouth irritation.
Ingestion	Possible mild stomach upset and mild soreness of mouth.
Skin contact	Possible mild transient irritation of skin.
Eye contact	Causes eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	No data available
Specific treatments	No data available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Use extinguisher suitable to cause of fire.
-------------------------------------	---

5.2. Special hazards arising from the substance or mixture

Specific hazards	Product does not support combustion, minimal fire hazard. Minimal quantities of oxides of carbon may be produced.
-------------------------	---

5.3. Advice for firefighters

Protective actions during firefighting	Use protection suitable to cause of fire.
---	---

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with eyes.
-----------------------------	--------------------------

6.2. Environmental precautions

Environmental precautions	Product is intended to be rinsed away to sewer after use. For bigger spillages non-household spillages prevent entry into sewer or drains.
----------------------------------	--

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	Absorb household spillages with e.g kitchen roll and dispose of in bin. Wipe affected area clean with a damp cloth.
--------------------------------	---

6.4. Reference to other sections

Reference to other sections	None
------------------------------------	------

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions	Use as instructed on label. Avoid breathing spray. Point spray away from face. Avoid contact with eyes.
--------------------------	---

Astonish Bathroom Cleaner

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in ambient conditions. Keep out of the reach of children.

7.3. Specific end use(s)

Specific end use(s) Cleaning hard surfaces in the bathroom.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

Butyl Diglycol

Long-term exposure limit (8-hour TWA): 10 ppm 67.5 mg/m³

Short-term exposure limit (15-minute): 15 ppm 101.2 mg/m³

Sodium Hydroxide

Short-term exposure limit (15-minute): WEL 2 mg/m³

Glycerol

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ mist

2,2'-iminodiethanol

Long-term exposure limit (8-hour TWA): WEL 13 mg/m³

2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol

Long-term exposure limit (8-hour TWA): DNEL 0.5 mg/kg Oral

Short-term exposure limit (15-minute): DNEL 3 mg/kg Oral

Short-term exposure limit (15-minute): DNEL 6 mg/kg Dermal

Long-term exposure limit (8-hour TWA): DNEL 1.4 mg/kg Dermal

Short-term exposure limit (15-minute): DNEL 7 mg/m³ Inhalation

Long-term exposure limit (8-hour TWA): DNEL 7 mg/m³ Inhalation

2,6-di-tert-butyl-p-cresol

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³

WEL = Workplace Exposure Limit

Citric Acid Monohydrate (CAS: 5949-29-1)

PNEC	- Fresh water; 0.44 mg/l - Sediment (Freshwater); 3.46 mg/kg - Sediment (Marinewater); 34.6 mg/kg - Marine water; 0.044 mg/l - STP; >1000 mg/l - Soil; 33.1 mg/kg
-------------	--

2,6-di-tert-butyl-p-cresol (CAS: 128-37-0)

DNEL	Workers - Inhalation; Long term systemic effects: 58 mg/m ³ Consumer - Inhalation; Long term systemic effects: 1.74 mg/m ³ Workers - Dermal; Long term systemic effects: 8.3 mg/kg/day Consumer - Dermal; Long term systemic effects: 5 mg/kg/day
PNEC	- Soil; 1.04 mg/kg - Sediment; 1.29 mg/kg

8.2. Exposure controls

Astonish Bathroom Cleaner

Environmental exposure controls This product does not pose a hazard in normal use when following the usage instructions.
Take care to avoid contact with eyes.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance	Clear Blue liquid
Colour	Blue.
Odour	Fresh/Herbal
Odour threshold	Not known.
pH	pH (concentrated solution): 2.5 - 4.5
Melting point	Not known.
Initial boiling point and range	Not measured (>100°C)
Flash point	Not determined.
Evaporation rate	Not known.
Evaporation factor	Not known.
Flammability (solid, gas)	Does not ignite.
Upper/lower flammability or explosive limits	Does not ignite.
Other flammability	Not relevant.
Vapour pressure	Not determined.
Vapour density	> 1 (Air=1)
Relative density	1.002 - 1.018 @ 20°C
Bulk density	Not applicable.
Solubility(ies)	Soluble in water
Partition coefficient	Not known.
Auto-ignition temperature	Not known.
Decomposition Temperature	Not available.
Viscosity	Not determined.
Explosive properties	None
Explosive under the influence of a flame	Not considered to be explosive.
Oxidising properties	Not applicable.

9.2. Other information

Other information None.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No reactivity hazards expected.

10.2. Chemical stability

Astonish Bathroom Cleaner

Stability Stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal conditions.

10.4. Conditions to avoid

Conditions to avoid None known.

10.5. Incompatible materials

Materials to avoid None known.

10.6. Hazardous decomposition products

Hazardous decomposition products Carbon oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects This mixture has not been tested. Based on the available data of the ingredients the classification criteria are not met.

Acute toxicity - oral

ATE oral (mg/kg) 20,588.24

Toxicological information on ingredients.

Butyl Diglycol

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 2,000.0

Species Rat

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 2,000.0

Species Rabbit

Citric Acid Monohydrate

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 5,400.0

Species Rat

ATE oral (mg/kg) 5,400.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 2,000.0

Species Rabbit

((Chloro)methylisothiazolinone & Methylisothiazolinone

Astonish Bathroom Cleaner

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 4,467.0

Species Rat

ATE oral (mg/kg) 100.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 5,000.0

Species Rat

ATE dermal (mg/kg) 50.0

Acute toxicity - inhalation

ATE inhalation (dusts/mists mg/l) 0.05

SECTION 12: Ecological Information

12.1. Toxicity

Toxicity The mixture has not been tested. Based on the available data of the ingredients the classification criteria are not met.

Ecological information on ingredients.

Butyl Diglycol

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, : 100 mg/l, Fish

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: >100 mg/l, Daphnia magna

Acute toxicity - aquatic plants EC₅₀, : 100 mg/l, Desmodium subspicatus

Undecanol, branched and linear, ethoxylated (>5-15 EO)

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: >1 - 10 mg/l, Cyprinus carpio (Common carp)

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: >1 - 10 mg/l, Daphnia magna

Acute toxicity - aquatic plants EC₅₀, 72 hours: >1 - 10 mg/l, Desmodium subspicatus

Citric Acid Monohydrate

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 48 hours: 440 mg/l, Fish

Acute toxicity - aquatic invertebrates EC₅₀, 24 hours: 1535 mg/l, Daphnia magna

Astonish Bathroom Cleaner

Acute toxicity - aquatic plants NOEC, 8 days: 425 mg/l, Algae

((Chloro)methylisothiazolinone & Methylisothiazolinone

Acute aquatic toxicity

LE(C)₅₀ 0.01 < L(E)C₅₀ ≤ 0.1

M factor (Acute) 10

Acute toxicity - fish EC₅₀, 96 hours: 0.22 mg/l, Oncorhynchus mykiss (Rainbow trout)

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: 0.1 mg/l, Daphnia magna

Acute toxicity - aquatic plants EC₅₀, 72 hours: 0.048 mg/l, Pseudokirchneriella subcapitata

Acute toxicity - microorganisms EC₂₀, 3 hours: 0.97 mg/l, Activated sludge

Chronic aquatic toxicity

M factor (Chronic) 10

12.2. Persistence and degradability

Persistence and degradability Does not contain any components considered to be persistent. Contains detergents that satisfy the biodegradation requirements of directive 648/2004/EC. Alcohols branched/linear, ethoxylated - Readily biodegradable; >70%; 28d; aerobic; OECD Test Guideline 301A.

Ecological information on ingredients.

Butyl Diglycol

Biodegradation

- Degradation 76: 28 days
- Degradation 90-100: 8 days
- Degradation 90-100: 14 days

12.3. Bioaccumulative potential

Bioaccumulative potential No bio-accumulative potential noted for any component.

Partition coefficient Not known.

12.4. Mobility in soil

Mobility The components of the mixture are readily absorbed into soil and are mobile in water environment.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment No data available.

Ecological information on ingredients.

Butyl Diglycol

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects Not known.

Astonish Bathroom Cleaner

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Dispose of according to local regulations. Avoid disposing into drainage systems and into the environment. Dispose of contaminated packaging in the same way as the product itself. Non-contaminated packages may be recycled.

SECTION 14: Transport information

General Not regulated.

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

Not regulated.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

This safety data sheet is compliant with EC Regulation 1907/2006 (REACH) as adapted by 453/2010, Directive 67/548/EEC and EC Regulation 1272/2008 (CLP).
Dangerous Preparations Directive 1999/45/EC.
Regulation (EC) No. 648/2004 of the European Parliament and of the Council of 31st March 2004 on detergents.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Astonish Bathroom Cleaner

Abbreviations and acronyms used in the safety data sheet	ATE: Acute Toxicity Estimate. CAS: Chemical Abstracts Service. DNEL: Derived No Effect Level. PNEC: Predicted No Effect Concentration. LC ₅₀ : Lethal Concentration to 50 % of a test population. EC ₅₀ : 50% of maximal Effective Concentration. NOEC: No Observed Effect Concentration.
General information	Note: The hazard statements below are explanations of phrases used in the SDS as abbreviations and DO NOT apply to the product. The statements applicable to the product are those identified in Section 2 only.
Revision comments	Revised formulation. Updated using updated fragrance information from supplier
Issued by	The London Oil Refining Company Ltd
Revision date	22/08/2018
Revision	1.2
Supersedes date	18/05/2017
SDS number	4957
Risk phrases in full	R22 Harmful if swallowed. R23/24/25 Toxic by inhalation, in contact with skin and if swallowed. R34 Causes burns. R35 Causes severe burns. R36 Irritating to eyes. R38 Irritating to skin. R41 Risk of serious damage to eyes. R43 May cause sensitisation by skin contact. R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Hazard statements in full	H290 May be corrosive to metals. H301 Toxic if swallowed. H302 Harmful if swallowed. H310 Fatal in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.